


In the Claims:

Please cancel claims 25-40. Please amend claims 3-13, 15-16 and 18-24 as follows. Please add new claim 41.

1. (Original) A compound of formula (I):



wherein:

a is 1-5;

each R¹ is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, -OR⁶, -S(O)_fR⁶, -NR⁶R⁷, -R⁴OR⁶, -R⁴S(O)_fR⁶, -R⁴NR⁶R⁷ and cyano;

b is 0-3;

R² is selected from the group consisting of alkyl, alkenyl, C₃₋₆cycloalkyl, C₃₋₆cycloalkenyl, -OR⁶, -NR⁶R⁷, -R⁴OR⁶, -R⁴NR⁶R⁷, cyano and nitro;

Y is -O- or -N(R⁸)-;


c is 0-4;

each R³ is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkenyl, -OR⁶, -COR⁶, -CO₂R⁶, -CH(R⁶)OR⁷, -S(O)_fR⁶, -NR⁶R⁷, -R⁴cycloalkyl, -R⁴OR⁶, -R⁴COR⁶, -R⁴CO₂R⁶, -R⁴S(O)_fR⁶, -R⁴NR⁶R⁷ and cyano

Z is selected from the group consisting of -O-R⁴-, -R⁴-O-, -S(O)_f-R⁴-, -R⁴-S(O)_f-, -N(R⁸)-R⁴-, -R⁴-N(R⁸)-, -C(O)N(R⁸)-, -C(O)R⁴N(R⁸)-, -S(O)_fN(R⁸)- and -S(O)_fR⁴N(R⁸)-;

each R⁴ is the same or different and is independently selected from the group consisting of alkylene and alkenylene;

R⁵ is selected from the group consisting of R⁶O-, R⁶O₂C-, and



wherein Ring A is aryl or a 5-12 membered heterocycle or heteroaryl;

d is 0-4;

each R^9 is the same or different and is independently selected from the group consisting of halo, alkyl, alkenyl, alkynyl, cycloalkyl, $-OR^6$, $-COR^6$, $-CO_2R^6$, $-CH(R^6)OR^7$, $-S(O)_fR^6$, $-NR^6R^7$, $-R^4$ cycloalkyl, $-R^4OR^6$, $-R^4COR^6$, $-R^4CO_2R^6$, $-R^4S(O)_fR^6$, $-R^4NR^6R^7$, cyano, 5-9 membered heterocycle and 5-9 membered heteroaryl;

each R^6 and R^7 are the same or different and are each independently selected from the group consisting of H, alkyl, alkenyl, C_{3-6} cycloalkyl and C_{3-6} cycloalkenyl;

R^8 is H or alkyl; and

each f is the same or different and is independently selected from the group consisting of 0, 1 and 2;


or a pharmaceutically acceptable salt, solvate or physiologically functional derivative thereof.

2. (Original) The compound according to claim 1 wherein a is 1-2.
3. (Currently Amended) The compound according to claim 1 ~~any of claims 1-2~~ wherein each R^1 is the same or different and is independently selected from the group consisting of halo and $-OR^6$.
4. (Currently Amended) The compound according to claim 1 ~~any of claims 1-3~~ wherein b is 0 or 1.
5. (Currently Amended) The compound according to claim 1 ~~any of claims 1-4~~ wherein R^2 is selected from the group consisting of alkyl and C_{3-6} cycloalkyl.
6. (Currently Amended) The compound according to claim 1 ~~any of claims 1-5~~ wherein Y is $-O-$.
7. (Currently Amended) The compound according claim 1 ~~to any of claims 1-6~~, wherein c is 0-2.

8. (Currently Amended) The compound according to claim 1 ~~any of claims 1-7~~, wherein each R^3 is the same or different and is independently selected from the group consisting of halo and alkyl.

9. (Currently Amended) The compound according to claim 1 ~~any of claims 1-8~~, wherein Z is selected from the group consisting of $-O-R^4$ -, $-R^4-O$ -, $-S(O)_r-R^4$ -, $-N(R^8)-R^4$ -, $-R^4-N(R^8)$ -, $-C(O)N(R^8)$ -, $-C(O)R^4N(R^8)$ -, $-S(O)_rN(R^8)$ - and $-S(O)_rR^4N(R^8)$ -.

10. (Currently Amended) The compound according to claim 1 ~~any of claims 1-9~~, wherein R^8 is H or methyl.

11. (Currently Amended) The compound according to claim 1 ~~any of claims 1-10~~, wherein R^5 is selected from the group consisting of R^6O_2C -, and .

12. (Currently Amended) The compound according to claim 1 ~~any of claims 1-11~~, wherein R^5 is and Ring A is phenyl or furan.

13. (Currently Amended) A pharmaceutical composition comprising a compound according to claim 1 ~~any of claims 1-12~~.

14. (Original) The pharmaceutical composition according to claim 13, further comprising a pharmaceutically acceptable carrier or diluent.

15. (Currently Amended) A method for the treatment or prophylaxis of a condition mediated by FXR in a subject, said method comprising administering to said subject a therapeutically effective amount of a compound according to claim 1 ~~any of claims 1-12~~.

16. (Currently Amended) A method for the treatment or prophylaxis of cardiovascular disease in a subject, said method comprising administering to said

subject a therapeutically effective amount of a compound according to claim 1
~~any of claims 1-12.~~

17. (Original) The method according to claim 16, wherein said cardiovascular disease is selected from atherosclerosis and hypercholesterolemia.

18. (Currently Amended) A method for the treatment or prophylaxis of cholestatic liver disease in a subject comprising administering a therapeutically effective amount of a compound according to claim 1 ~~any of claims 1-12.~~


19. (Currently Amended) A method for the treatment or prophylaxis of organ fibrosis in a subject comprising administering a therapeutically effective amount of a compound according to claim 1 ~~any of claims 1-12.~~

20. (Currently Amended) A method for increasing HDL cholesterol in a subject, said method comprising administering a therapeutically effective amount of a compound according to claim 1 ~~any of claims 1-12.~~


21. (Currently Amended) A method for lowering triglycerides in a subject, said method comprising administering a therapeutically effective amount of a compound according to claim 1 ~~any of claims 1-12.~~

22. (Currently Amended) A process for preparing a compound according to claim 1 ~~any of claims 1-12~~, said process comprising the steps of:

a) reducing a compound of formula (X):




followed by chlorination to prepare a compound of formula (XI):




and

b) reacting the compound of formula (XI) with a compound of formula (XII):




wherein Z^1 is $-O-$, $-S(O)_r-$ or $-N(R^8)-$;

to prepare a compound of formula (I-A):




23. (Currently Amended) A process for preparing a compound according to claim 1 ~~any of claims 1-12~~, said process comprising the steps of:

a) rearranging the carbonyl functionality of the compound of formula (X):




followed by hydrolysis to prepare a compound of formula (XIII):



and


b) reacting the compound of formula (XIII) with a suitable electrophile to prepare a compound of formula (I-B):



wherein Z^2 is $-R^4-O-$.


24. (Currently Amended) A process for preparing a compound according to claim 1 ~~any of claims 1-12~~, said process comprising the steps of:

a) reacting a protected compound of formula (XV):




wherein PG is a protecting group;


with a compound of formula (VI):



to prepare a compound of formula (XVI):




b) optionally alkylating the compound of formula (XVI), followed by deprotecting the compound of formula (XVI) to prepare a compound of formula (XVII):



and

c) reacting the compound of formula (XVII) with a suitable electrophile to prepare a compound of formula (I-C):



wherein Z³ is selected from the group consisting of -R⁴-O-, -R⁴-S(O)_f-, -R⁴-N(R⁸)-, -CON(R⁸)-, -C(O)R⁴N(R⁸)-, -S(O)_fN(R⁸)- and -S(O)_fR⁴N(R⁸)-.

25-40. (Canceled)

41. (New) A compound selected from:

- 3-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino]methyl]benzoic acid;
- Methyl 4-[(4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoate;
- 3-[(2-Chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-phenyl)amino]methyl]benzoic acid;
- 5-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-2-furoic acid;
- 4-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;
- Methyl 2-[(4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-3-furoate;
- N*-(2,1,3-Benzoxadiazol-5-ylmethyl)-4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-*N*,2-dimethylaniline;
- N*-(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-methylphenyl)-*N*-methyl-*N*-[4-(1,2,3-thiadiazol-4-yl)benzyl]amine;
- 4-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzonitrile;
- 2-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-3-furoic acid;

{3-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]phenyl}methanol;

{4-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]phenyl}methanol;

3-[(4-{[3-(2,6-Dichlorobenzyl)-5-ethyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;

3-[(4-{[5-Isopropyl-3-(2,4,6-trichlorophenyl)isoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino)methyl]benzoic acid;

3-[(4-{[3-(2,6-Dichlorobenzyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;

3-[(4-{[3-(2-Chlorobenzyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)-amino)methyl]benzoic acid;

3-[(4-{[5-Cyclopropyl-3-(2,6-dichlorobenzyl)-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;

5-[(4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-2-furoic acid;

4-[(4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;

3-[(4-{[5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoic acid;

Methyl 5-[(4-{[5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]-2-furoate;

Methyl 4-[(4-{[5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl]methoxy}-2-dimethylanilino)methyl]benzoate;

4-[(2-Chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]carbonyl]benzoic acid;

Methyl 3-[(2-chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-anilino)carbonyl]benzoate;

Methyl 4-[(2-chloro-4-{[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-anilino)carbonyl]benzoate;

3-[(4-{[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy}-2-methylanilino)-carbonyl]benzoic acid;

- 4-[(4-[[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy]-2-methylanilino)-carbonyl]benzoic acid;
- 3-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy]-anilino)carbonyl]benzoic acid;
- 3-[(4-[[3-(2,6-Dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy]-2-dimethylanilino)carbonyl]benzoic acid;
- 3-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy]-methylanilino)carbonyl]benzoic acid;
- 4-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropyl-4-isoxazolyl]methoxy]-methylanilino)carbonyl]benzoic acid;
- 3-[[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy)-2-dimethylanilino]carbonyl]benzoic acid;
- 3-[[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}methoxy)-2-methylanilino]carbonyl]benzoic acid;
- 3-[[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl}-methoxy)methylanilino]carbonyl]benzoic acid;
- Methyl 3-[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-2-methylphenyl](methyl)amino]sulfonyl]benzoate;
- Methyl 3-[[2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-phenyl]amino]sulfonyl]benzoate;
- Methyl 3-[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-2-methylphenyl]amino]sulfonyl]benzoate;
- Methyl 3-[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]phenyl]-amino]-sulfonyl]benzoate;
- 3-[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-2-methylphenyl]-amino]sulfonyl]benzoic acid;
- 3-[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]phenyl]amino]-sulfonyl]benzoic acid;
- Methyl 3-[[2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-phenyl](methyl)amino]sulfonyl]benzoate;
- Methyl 3-[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]phenyl]- (methyl)amino]sulfonyl]benzoate;

Methyl 3-[[[(2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-phenyl)(ethyl)amino]sulfonyl]benzoate;

Methyl 3-[[[(4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)(ethyl)amino]sulfonyl]benzoate;

Methyl 3-[[[(4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)-amino]sulfonyl]benzoate;

3-[[[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]sulfonyl]benzoic acid;

3-[[[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino]sulfonyl]benzoic acid;

3-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino]sulfonyl]benzoic acid;

3-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(methyl)-amino]sulfonyl]benzoic acid;

3-[[[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)amino]sulfonyl]benzoic acid;

3-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(ethyl)amino]sulfonyl]benzoic acid;

3-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)(ethyl)-amino]sulfonyl]benzoic acid;

Methyl 4-[[[(2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-phenyl)amino]sulfonyl]benzoate;

Methyl 4-[[[(4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)amino]sulfonyl]benzoate;

Methyl 4-[[[(4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]sulfonyl]benzoate;

4-[[[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-amino]sulfonyl]benzoic acid;

4-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-amino]sulfonyl]benzoic acid;

4-[[[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)amino]-sulfonyl]benzoic acid;

Methyl 4-[[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl](methyl)amino]sulfonyl]benzoate;

Methyl 4-[[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino]sulfonyl]benzoate;

Methyl 4-[[[4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)amino]sulfonyl]benzoate;

4-[[[2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(methyl)amino]sulfonyl]benzoic acid;

4-[[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(methyl)amino]sulfonyl]benzoic acid;

4-[[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl](methyl)amino]sulfonyl]benzoic acid;

4-[[[2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl)-(ethyl)amino]sulfonyl]benzoic acid;

4-[[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}-2-methylphenyl)-(ethyl)amino]sulfonyl]benzoic acid;

4-[[[4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy}phenyl](ethyl)amino]-sulfonyl]benzoic acid;

3-[[[2-Chloro-4-([5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy)-phenyl]amino]sulfonyl]benzoic acid;

3-[[[4-([5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy)-2-methyl-phenyl]amino]sulfonyl]benzoic acid;

Methyl 3-[[[2-chloro-4-([5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-isoxazol-4-yl]methoxy)phenyl](methyl)amino]sulfonyl]benzoate;

Methyl 3-[[[4-([5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy)-2-methylphenyl](methyl)amino]sulfonyl]benzoate;

3-[[[2-Chloro-4-([5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy)-phenyl](methyl)amino]sulfonyl]benzoic acid;

3-[[[4-([5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl]methoxy)-2-methyl-phenyl](methyl)amino]sulfonyl]benzoic acid;

3-[[[4-[[3-(2,6-Dichlorobenzyl)-5-ethylisoxazol-4-yl]methoxy}-2-methylphenyl](methyl)-amino]sulfonyl]benzoic acid;

Methyl 4-[(2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-benzyl)oxy]benzoate;
Methyl 3-[(2-chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-benzyl)-oxy]benzoate;
3-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-benzyl)oxy]-benzoic acid;
3-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-benzyl)thio]-benzoic acid;
3-[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-2-methylbenzyl)-oxy]-benzoic acid;
3-[(4-[[3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]-2-methylbenzyl)-thio]-benzoic acid;
4-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]benzyl)-oxy]benzoic acid;
4-[(2-Chloro-4-[[3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl]methoxy]benzyl)-thio]-benzoic acid;
Methyl 3-[[2-chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)-phenyl]isoxazol-4-yl}methoxy)benzyl]oxy]benzoate;
Methyl 3-[[4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-2-methylbenzyl]oxy]benzoate;
3-[[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-benzyl]oxy]benzoic acid;
3-[[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-2-methylbenzyl]oxy]benzoic acid;
3-[(2-Chloro-4-[[3-(2,6-dichlorobenzyl)-5-ethylisoxazol-4-yl]methoxy]benzyl)oxy]-benzoic acid;
Methyl 3-[[2-chloro-4-({5-isopropyl-3-[2-(trifluoro-methoxy)phenyl]isoxazol-4-yl}methoxy)benzyl]thio]benzoate;
Methyl 3-[[4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-2-methylbenzyl]thio]benzoate;
3-[[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl}methoxy)-benzyl]thio]benzoic acid;

3-[[4-({5-Isopropyl-3-[2-(trifluoromethoxy)phenyl]isoxazol-4-yl)methoxy}-2-methylbenzyl]thio]benzoic acid;

Methyl 3-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}benzyl)(methyl)amino]benzoate;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}benzyl)-(methyl)amino]benzoic acid;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}benzyl)-amino]benzoic acid;

Ethyl 3-[[2-chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl)-methoxy]benzyl]amino]benzoate;

3-[[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl)methoxy)-benzyl]amino]benzoic acid;

3-[[2-Chloro-4-({5-isopropyl-3-[2-(trifluoromethoxy)phenyl]-4-isoxazolyl)methoxy)-benzyl](methyl)amino]benzoic acid;

Methyl 4-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}-2-methylphenoxy)methyl]benzoate;

Methyl 3-[(2-chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}-phenoxy)methyl]benzoate;

Methyl 3-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}-2-methylphenoxy)methyl]benzoate;

3-[(2-Chloro-4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}phenoxy)-methyl]benzoic acid;

3-[(4-{{3-(2,6-Dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}-2-methylphenoxy)-methyl]benzoic acid; and

Methyl 4-[(4-{{3-(2,6-dichlorophenyl)-5-isopropylisoxazol-4-yl)methoxy}-2-methylphenoxy)methyl]benzoate,

and pharmaceutically acceptable salts, solvates and physiologically functional derivatives thereof.